Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	216986	(format NEAR5 (picture OR data OR image OR video))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 09:48
S2	208204	(rom OR ram OR memory OR (semi ADJ1 conductor) OR (stor\$5 ADJ1 (means OR device))) NEAR5 address	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 14:33
S3	33063	S1 AND S2	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 14:34
S4	2338	S3 AND (scal\$5 NEAR5 (picture OR image))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 14:40
S5	605	S4 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 14:40
S6	106	ic WITH ((picture OR image) NEAR5 scal\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:06
S7	4	S5 AND S6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 14:41
S8	937	ic WITH substrate WITH pixel	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:06
S9	230	S8 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:06
S10	135	ic WITH ("same" ADJ2 substrate) WITH pixel	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:07
S11	55	S10 AND display.AB.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:12
S12	8	S10 AND (display.AB. OR "345"/\$. CCLS.) AND (plural\$5 NEAR3 ic)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:16
S13	2	(plural\$5 NEAR3 ic) AND (ic NEAR5 ((picture OR image) NEAR2 scal\$5))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:19
S14	525	(chang\$5 OR covert\$5) NEAR3 ((video OR image) NEAR1 format)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:18
S15	0	ic WITH S14	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:18

S16	0	(chang\$5 OR covert\$5) NEAR3 ((video OR image) NEAR1 format) WITH ic	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:18
S17	. 1	(plural\$5 NEAR3 ic) AND S14	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:33
S18	73	ic AND S14	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:31
S19	47	(adjust\$5 OR chang\$5 OR convert\$5) NEAR5 ((video OR image) NEAR3 (size OR format)) WITH IC	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:31
S20	16	("345"/\$.CCLS. OR display.AB.) AND S19	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 15:53
S21	188	(scaling ADJ1 processor)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 16:04
S22	5	(scaling ADJ1 processor) WITH ic	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 16:04
S23	3834	(scal\$5 NEAR5 ic)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 16:06
S24	244	S23 AND ("345"/\$.CCLS. OR display. AB.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 16:06
S25	102	(scal\$5 NEAR5 image) WITH ic	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 16:06
S26	46	S25 AND ("345"/\$.CCLS. OR display. AB.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/06 16:06
S27	62787	(((chang\$5 OR adjust\$5 OR convert\$5) NEAR3 (format OR size OR scal\$3)) OR scal\$5) NEAR5 (picture OR image)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 09:52
S28	811	S27 WITH (driver OR (driving ADJ1 (circuit\$2 OR means)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 09:53
S29	17707	ic WITH (driver OR (driving ADJ1 (circuit\$2 OR means)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 09:50
S30	29827	(ic OR (integrated ADJ1 circuit)) WITH (driver OR (driving ADJ1 (circuit\$2 OR means)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 09:50

			_			
S31	115	S28 AND S29	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 09:51
S32	151	S28 AND S30	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 09:51
S33	110	S32 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 09:51
S34	26794	(((chang\$5 OR adjust\$5 OR convert\$5) NEAR3 (format OR size)) OR scaling) NEAR5 (picture OR image)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 09:52
S35	306	S34 WITH (driver OR (driving ADJ1 (circuit\$2 OR means)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 09:53
S36	17	S35 AND S30 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON ·	2007/04/09 09:56
S37	44	philips AND "345"/\$.CCLS. AND (picture NEAR2 scal\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 10:03
S38	1	"6061039".PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 10:09
S39	1	"5525867".PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 10:23
S40	110	(addressable ADJ1 display).AB.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 10:58
S41	1	(global\$5 ADJ1 address\$5 ADJ1 display)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 10:31
S42	190	(intermediate ADJ1 (voltage OR data OR image)) AND ((low ADJ0 resolution) WITH (high ADJ0 resolution))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 10:59
S43	14	(intermediate ADJ1 (voltage OR data OR image)) SAME ((low ADJ0 resolution) WITH (high ADJ0 resolution))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 11:00
S44	325	(intermediate ADJ1 (voltage OR data OR image)) WITH resolution	US-PGPUB; USPAT; EPO; JPO	OR .	ON	2007/04/09 11:01
S45	35	S44 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 11:08

S46	234	((chang\$5 OR adjust\$5) NEAR3 ((size) NEAR1 (data OR image OR picture))). AB. AND display.AB.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 11:10
S47	21	S46 AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 11:11
S48	150	(driver OR (driving ADJ0 (means OR circuit\$2))) NEAR3 (intermediate ADJ1 (voltage OR data))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 11:14
S49 ·	0	(different NEAR2 (image OR data) NEAR2 (size OR resolution)) AND S48	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 11:12
S50	3	(amagami NEAR2 atsuhiko)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 11:14
S51	8	("4402012"   "4694349"   "4698673"   "4866520"   "5083208").PN. OR ("5402149").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 11:15